#### **CITY OF HACKENSACK Building, Housing, Land Use Department**

# FORM E-2

116 Holt Street

Hackensack, NJ 07601

**APPLICATION FEE: \$50.00** 201-646-3920 ext. 2020 **TEMPORARY SIGN FEE: \$25.00** 

### **APPLICATION FOR SIGN/AWNING/CANOPY PERMIT**

No sign shall be erected or altered within the City of Hackensack without first obtaining a permit from the Construction Official of the City.

\*\*\* A ZONING CHART IS REQUIRED \*\*\*

MUST SUPPLY COLORED RENDERINGS, DENOTING DIMENSIONS, LETTER SIZE, ILLUMINATION, MOUNTING INFO, ETC.

COMPLETE ALL REQUESTED INFORMATION —PRINT OR TYPE — ILLEGIBLE/INCOMPLETE FORMS WILL NOT BE ACCEPTED						
PROPERTY LOCATION						
WORK SITE						
BLOCK LOT ZONE						
BUSINESS INFORMATION						
LEGAL NAME OF BUSINESS						
NAME BUSINESS TRADING AS						
NAME OF PRINCIPAL OFFICER						
EMERGENCY CONTACT PERSON TELEPHONE #						
APPLICANT INFORMATION						
NAME OF ARRUGANT						
NAME OF APPLICANT						
APPLICANT ADDRESS						
CITYSTATEZIP CODE						
TELEPHONE #E-MAIL						
APPLICANT IS: BUSINESS OWNER SIGN/AWNING COMPANY REPRESENTATIVE						
OTHER (EXPLAIN)						
SIGN / AWNING / CANOPY DETAILS						
LETTERING & LOGOS						
TYPE						
PAINTED 3 DIMENSIONAL OTHER (SPECIFY)						
COLORS (SPECIFY)						
TEXT						
WORDING ON SIGN OR AWNING						
Provide details of text colors, background colors, font styles, font heights and area of lettering and logos as required by the sign ordinance.						
OFFICE USE ONLY						

Fee: \$\_\_\_\_\_ Check: # \_\_\_\_\_ Receipt: # \_\_\_\_\_



## APPLICATION FOR SIGN/AWNING/CANOPY PERMIT

SIGN / AWNING / CANOPY DETAILS (CONTINUED)							
<u>SIGN</u>							
TYPE [	FLAT WALL PROJECTION SINGLE FACE DOUBLE FACE WINDOW	TEMPORARY GROUND SINGLE FACE DOUBLE FACE OTHER (SPECIFY)			_		
LOCATION	FRONT	SIDE	REAR				
ILLUMINATIO							
MATERIALS  DETAILS	PLEXIGLASS ALUMINUM	WOOD	XTERIOR ILLUMINATED PECIFY)		-		
WHAT IS THE	WIDTH OF THE BUILDIN	NG OR TENANT SPACE?		FT IN	١		
WHAT IS THE WHAT IS THE WHAT IS THE WHAT IS (ARE	DIMENSION FROM THE DIMENSION FROM THE WIDTH OF THE SIGN? HEIGHT OF THE SIGN? THE COLOR(S) OF THE LL THE SIGN PROJECT FI	GRADE TO THE TOP C		FT IN FT IN FT IN	N N		
AWNING / CATYPE  LOCATION		ED BY THE BUILDING)	CANOPY (SUPPORT	ED BY COLUMNS)			
MATERIALS	DOES THE PLAN SHO	W SUPPORTING FASTE	eners? Dyes Dno	)			
	SUPPORTING FRAME	WORK (SPECIFY)					
		, ,			_		
DETAILS	,				_		
WHAT IS THE WHAT IS THE WHAT IS THE WHAT IS THE		G? HE AWNING? E AWNING? E GRADE TO THE BOTTO			N N N		
		APPLICANT'S CERT	IFICATION				
true and complete	te and accurately describes t ss or information is false, mis	the existing and proposed usleading or omitted; I will be	ake this application, that all inf ses of the subject property. I use subject to penalty and revoca upon the property for purpose	inderstand that if any of the tion of the issued permit. I	is		
APPLICANT SI	GNATURE		DΔ	TF			

#### SIGN INFORMATION FOR APPLICANT

#### PLEASE READ

Article XIII: SITE DESIGN STANDARDS §175-13.4: SIGNAGE

Page **160** of **195** 

Standards generally. **1.** No sign may be erected or maintained so as to obstruct free ingress or egress to building openings, driveways, sidewalks or other passageways.

No sign shall have more than four (4) colors, inclusive of its background, frame and decorative parts. However, varying tones or gradients of the two main colors may be utilized on a sign and shall not constitute additional colors. For the purposes of this ordinance, black and white shall be considered colors. Notwithstanding anything herein to the contrary, in such instance where black or white shall be used in the formation of a sign as aforesaid, then in such instance either of such may be used as a third color.

Canopies, awnings and marquees with signage embossed upon them shall be considered to be a business sign. Illumination. No sign shall be illuminated except as provided herein. **a.** Sign Illumination: Direct illumination or backlighting shall not exceed seventy-five (75) foot candles when measured with a standard light meter perpendicular to the face of the sign from a distance equal to the narrowest dimension of any sign.

No sign shall be illuminated externally by more than one (1) floodlight per surface of said sign. Such lighting shall be at grade and properly directed and shielded so as not to produce glare or offensive light off the property.

All light shall be designated to minimize glare, and light levels off site from sign lights shall be less than 0.1 footcandle. Furthermore, glare and illumination emitted from signage shall not be detectible from residential apartments, offices, or similar uses above ground level such that it becomes a nuisance.

Flashing signs, highly reflective glass or fluorescent paint (red or green) and illuminated tubing outlining roofs, doors, windows or wall edges of a building are prohibited.

Any light box sign or lit awning is subject to the following limitations: **i.** Only the letters and symbols may be illuminated.

An opaque background must set off the illuminated sections

The letters, logos and symbols may take up a maximum of 40% of the sign area, leaving 60% opaque.

No sign shall be artificially illuminated after 11:00 pm or before 7:00am unless said premises are occupied and attended.

The City of Hackensack encourages illumination of signs from external sources, provided glare is minimized. Wherever it is impractical to provide such a source of illumination, and only as specifically permitted by this chapter, internally illuminated signs may be permitted. Light sources from internally illuminated signs shall not be visible from outside the sign, and the light from the light source shall be diffused to eliminate hot spots. Light sources shall be protected from damage. Light levels at property lines shall be less than 0.1 footcandle.

## **A ZONING CHART MUST ACCOMPANY APPLICATIONS** –

## NOTE: ONLY ONE SIGN IS PERMITTED per storefront!!

# **ZONING CHART EXAMPLE**

### **ABC SIGN COMPANY**

	Permitted	Existing	Proposed	Variance Y/N
Wall mounted	1 s.f. per 1 ft. of	?	?	
Sign	building width			
	or 0.5 s.f. per 1			
	ft of storefront			
	width, but in any			
	case ≤ 24 s.f.			

Address: 123 Main St., Hackensack

Lot: 1

Block: 1

Zone: M-1